



DEPARTMENT OF ENVIRONMENT

CITY OF CHICAGO
MEMORANDUM

TO: ✓ Mary Fulghum
USEPA Region V
Lindsay Light II Site, Office of the Regional Counsel
77 W. Jackson Blvd.
Chicago, Illinois 60604

Vincent S. Oleszkiewicz
Duane Morris LLP
190 S. La Salle St., Suite 3700
Chicago, IL 60603

Glen Anderson
West Chicago Project Facility
800 Weyrauch St.
West Chicago, IL 60185

Roy Widman
Tronox LLC
3301 N.W. 150th St.
Oklahoma City, OK 73134

FROM: Raul Valdivia, Chief Engineer
City of Chicago Department of Environment

SUBJECT: Notification of Permit Application - Lindsay Light II Site

DATE: 11/1/2011 209 E. Grand

Pursuant to Condition 10(a) of the Right-of-Way Agreement dated September 27, 1999, this is to inform you that a permit has been applied for with the City of Chicago Department of Transportation to conduct subsurface activities at the subject right-of-way. The applicant has contacted this Department and has reviewed additional information regarding potential contamination at the subject site (see attached form DOE.ROW.01).

If you have any questions, please do not hesitate to call me at (312) 744-5711.

Attachment

cc: ✓ Mort Ames, City of Chicago Department of Law (via fax 742-3832)
✓ Eugene Jablonowski, USEPA (via fax 312-353-9281)

Last updated July 12, 2011

**CITY OF CHICAGO DEPARTMENT OF ENVIRONMENT
FORM NO. DOE.PRPTY.02**

Notice is hereby given that the site you have requested a permit for is recorded with the City of Chicago Department of Environment as potentially having environmental contamination on the site. This environmental contamination could present a threat to human health and safety in connection with work performed at the site, if proper safeguards are not employed.

A file containing detailed information regarding the aforementioned environmental contamination is available for review at the Department of Environment at 33 N. LaSalle St., Suite LL-120, Chicago, Illinois 60602 during normal business hours (8:30AM-4:30PM, Monday through Friday). Contact (312) 744-7606 for an appointment. This file must be reviewed and the remainder of this form completed before the permit can be issued if the ground is exposed or excavated. Please note that for some locations, additional health and safety procedures may be required by law.

Please complete the following:

Permit No. or Developer
Services No.

176450840

Date 9-22-2011

Site Address
209 E. GRAND

Work Location (Describe
exact site location and
attach map)

SIDEWALK

Nature of Work

INSTALL CONDUIT

Expected Start Date

9-27

I have reviewed and understand the documents, maintained by the Department of Environment, regarding environmental contamination of the site. Further, I will ensure that all work at the subject site, and any monitoring required including but not limited to radiation monitoring, will be performed in a manner that is protective of human health and the environment and in compliance with all applicable local, state, and federal laws, rules, and regulations, especially those pertaining to worker safety and surveying conducted shall be provided to the Department of Environment and the United States Environmental Protection Agency within two (2) weeks of their completion. If any elevated levels of radioactive material are detected, I will immediately contact the United States Environmental Protection Agency at (800) 424-8802.

Applicant Name (print) JIM TORRES

Signature Jim Torres Date 9-22-2011

Company Name COMBO

Company Address / Phone No. 440 S. LASALLE

Check if City Department Work ☐ Department Name _____

General / Prime Contractor COMBO

Address 440 S. LASALLE Include subcontractor information if applicable

Phone No. 312-394-3260

Safety Officer / Phone No. PSC ENVIRONMENTAL 847-640-6653

Radiation Contractor / Phone No. (if applicable) SAHCL 800-383-0468

Department of Environment Approval / Date Fahimatussa Begum
11/1/2011

Please return this completed form to the City of Chicago Department of Environment at 33 N. LaSalle St., Suite LL-120, Chicago, Illinois 60602 during normal business hours (8:30 AM - 4:30 PM, Monday through Friday).

For DOE Use Only